

# NEW GENERATION FANLESS FOLDABLE POS TERMINAL

Fanless | Dual hinge stand | Removable SSD | Elegant & Stylish

*A Industrial Grade  
Exquisite Work of Art*



# New Cost-effective POS

M1 POS Terminal



01 Foldable base reduces packaging volume saving 30% shipping cost

Packaging Optimization **30%**



02 Fanless radiator with Vent-less design reducing failure rate greatly



03 Uninstall 3 screws to access to mainboard saving maintenance cost



04 Removable 2.5"SSD for fast swap saving maintenance cost



# SLIM EXTERIOR




# POWERFUL INTERIOR



Powerful fan-less heat dissipation



Innovative foldable base



Full ruggedized aluminum alloy body

# POS 1506 主機



<b>CPU</b>	Intel Celeron J6412( Elkhart Lake)	Intel Core i5-8265U( Coffee Lake)
<b>Display</b>	15"/15.6"	
<b>Resolution</b>	1024*768, 4:3/1920*1080,16:9	
<b>Touch screen</b>	10 point Capacitive Touch	
<b>Memory</b>	8GB supports up to 32GB/64GB	
<b>SSD</b>	128GB M.2 SSD/2.5" (Default)	
<b>OS support</b>	WINDOWS 10/ WINDOWS 11	
<b>Brightness</b>	350cd/square meter	
<b>Graphic Card</b>	Intel® UHD Graphics ,DirectX 12 OpenGL 4.5, 4K	
<b>Interface</b>	4*USB ;4*COM;1*HDMI;1*Audio;1*Lan;1*DC	4*USB;3*COM;1*HDMI;1*Audio;1*Lan;1*DC
<b>Main Material</b>	Aluminium Alloy housing	
<b>Customer display</b>	VFD Optional	
<b>Customer screen</b>	9.7"/15"( Optional)	
<b>MSR</b>	Optional	
<b>Power adaptor</b>	100-240V/50-60HZ, AC power input,DC 12V/5A output	
<b>Net Weight</b>	7.5KG	
<b>Operating temperature</b>	0°C -60°C	
<b>Storage temperature</b>	-20°C ~75°C	