

POS | LABEL | PORTABLE | PANEL | KIOSK

SPRT

Specialized, Pioneer, Revolution, Technology



PORTABLE PRINTER SOLUTIONS

>> Mobile Printer

SPRT 58MM PORTABLE PRINTERS

SPRT



Advantages :

- Light weight for taking conveniently
- Vehicle charger support
- Continuing printing when battery is being charged

Application Scenarios :



Logistics



Take Away



Retail



Storage



Catering



Garment

SP-T12

Professional Portable Printer

Print Method	Thermal line
Resolution	8 dots/mm (203dpi), 384 dots/line
Print Speed	62mm/s
Effective Print Width	48mm
Paper Width	57.5±0.5mm
Self-defined Character	Yes
Character Set	ASCII, GB18030(Chinese), BIG5, GB12345, Codepage
Print Font	Font A: 8×16(16×16), Font B: 9×24, Font C: 12×24(24×24)
Barcode	1D:UPC-A, UPC-E, EAN-13, EAN-8, CODE39, ITF25, CODEBAR, CODE93, CODE128
	2D: PDF417, QR CODE, DATA MATRIX
Interface	USB/Serial/USB+Bluetooth(2.0/4.0)/Serial+USB+Bluetooth(2.0/4.0)
SDK	Symbian/Windows/Blackberry/Linux/Android/iOS
Battery	7.4V/1500mAh Rechargeable Li-ion Battery
Charger	5V/1A
TPH	50KM
Paper Type	Normal Thermal Paper
Paper Thickness	0.06-0.08mm
Paper Roll Diameter	40mm (MAX)
Paper Supply Method	Drop-in Easy Loading
Paper Cutting Method	Manual
Dimension	106.5mm×78mm×47mm (L×W×H)
Weight	190g(NO Paper)
Operation Temp/Humidity	0°C ~ 50°C/10% ~ 80%
Storage Temp/Humidity	-20°C ~ 60°C /10% ~ 90%

The final interpretation right belongs to SPRT

About us:Beijing Spirit Technology Development Co., Ltd. (SPRT) is founded in 1999. Passed QMSC ISO9000 in 2001. We are High-tech Company professional in designing, developing and sales of Thermal Printer and Dot Matrix Printer. The main products are POS printer, Label printer, Portable printer, Micro Panel printer and Kiosk printer which are used in Financial, Medical, Tax, Police, Logistics, Fire Control etc.

Beijing Spirit Technology Development Co., Ltd.

TEL: +86-10-82781467

Email: export@sprinter.com.cn

www.sprt-printer.com



No.26 Ave.4, Chuangye Middle Road,
Shangdi Information Industry Park,
Beijing 100085 China

